

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("5923754" or "6801999").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:25
S1	166193	(device or drive or content or media) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:18
S2	72484	S1 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 08:59
S3	8543	S2 and ((internal or \$cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:00
S4	248	S3 and ((determin\$3 or ensur\$3) with (differ\$5 with key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:00
S5	1647	380/200,201,277.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:01
S6	30	S5 and S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:50
S7	9	("4197502" or "4440976" or "4771458" or "4802215").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:13

S8	2934	(key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:13
S9	1168	S8 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:14
S10	502	S9 and ((\$2cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:14
S11	369	S10 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:15
S12	35	S11 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:16
S13	40	S9 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:04
S14	10	S13 and (initial with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:24
S15	58	(determin\$3 with (initial adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:24

S16	35	S15 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:25
S17	10	S16 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:25
S18	1975	713/189,193-194.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:04
S19	2937	(key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:05
S20	1170	S19 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:05
S21	23	S18 and S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S22	166303	(device or drive or content or media) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S23	72493	S22 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07

S24	8545	S23 and ((internal or \$cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S25	503	S20 and ((\$2cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S26	369	S25 and S24	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S27	20	S18 and S26	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S28	746	S18 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S29	1656	380/200,201,277.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S30	717	S29 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S31	717	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11

S32	12958	ban\$4 with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:13
S33	573	S32 and ((content or file or media or dis\$1 or drive) with (manager or management))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:12
S34	14	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:12
S35	18	(banning or banned) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:17
S36	7	S35 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:14
S37	56	(banning or banned or blacklist\$3) with (key or passcode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:18
S38	7	S37 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:19
S39	1138	(ensur\$3 or verify\$3) with (different or new) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:21

S40	504	S39 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:21
S41	52	S40 and ((content with manage\$4) and (\$2crypt\$3 or \$2cipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:22
S42	49	S41 and ((check\$3 or compar\$3 or determin\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:22
S43	51	S41 and ((check\$3 or compar\$3 or determin\$3 or verify\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:36
S44	18	S43 and ((replay or reply) with (attack or hack))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:26
S45	0	S43 and ((ban or banned or banning) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:29
S46	0	S40 and ((ban or banned or banning) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:29
S47	12	S41 and ((check\$3 or compar\$3 or determin\$3 or verify\$3) with (expir\$5) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:36

S48	516	((check\$3 or compar\$3 or determin\$3 or verify\$3) with (expir\$5) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:37
S49	212	S48 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:38
S50	23	S49 and (content with manage\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:38
S51	109	authentica\$3 with (content adj management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29
S52	18	S51 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:19
S53	12	S52 and ((decrypt\$3 or decipher\$3) with authentica\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:19
S54	109	authentica\$3 with (content adj management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29
S55	18	S54 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29

S56	0	S55 and (mutual adj authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30
S57	1593	(mutual adj authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30
S58	363	S57 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:32
S59	3	S58 and (right\$1 with management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30
S60	932	S57 and (decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:33

PLUS Search Results for S/N 09829763, Searched August 22, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5878135
5933500
6016348
6115816
5539828
5754654
5825876
5991403
6185546
6253193
6363488
6389402
6408330
6427140
6792539
6911974
6832731
5467396
5953424
6002772
6076077
5479513
6219421
6219421
5553145
5629982
5872850
5889860
5978482
6002769
6038316
6092191
6137884
6185680
6240514
4817140
5185794
5267312
5406627
5642421
5715316
5787089
5841872
5995625
6055314
6073122
6091818
6169802
6289455
6301660